

FORM B.

Return showing the description and weight of all yarn spun in the Cotton Mills in the Mysore State during the month ending December 1938.

Count of yarn	Weight in pounds of each count	Count of yarn	Weight in pounds of each count	Count of yarn	Weight in pounds of each count
2 ^s	5,161	15 ^s	6,683	32 ^s	31,777
4 ^s	11,181	16 ^s	58,248	36 ^s	116,434
6 ^s	7,225	16½ ^s	7,507	38 ^s	13,035
6½ ^s	45,390	18 ^s	2,994	40 ^s	52,253
8 ^s	29,321	19 ^s	71,590	42 ^s	22,995
8½ ^s	165,851	20 ^s	222,617	44 ^s	18,010
10 ^s	9,505	20½ ^s	98,797	50 ^s	943
10½ ^s	184,308	21 ^s	102,505	60 ^s	72
11 ^s	44,250	22 ^s	29,091		
12 ^s	8,448	22½ ^s	17,082		
12½ ^s	117,121	24 ^s	59,222		
13 ^s	9,820	26 ^s	6,896		
13½ ^s	4,171	27 ^s	18,196		
14 ^s	58,951	28 ^s	12,060	Total ..	1,854,475
14½ ^s	102,266	30 ^s	82,499		

BANGALORE,
Dated 24th January 1939. }

L. MUNISWAMY,
For Director.

MYSORE STATE DEPARTMENT OF PUBLIC HEALTH.

NOTE ON THE STATE OF PUBLIC HEALTH IN MYSORE STATE
FOR THE WEEK ENDED THURSDAY, JANUARY 26, 1939.

A total of 17 attacks with 13 deaths from Plague was returned during the week against 27 attacks with 10 deaths in the previous week. Cities of Bangalore and Mysore reported one attack with one death and one attack with one death respectively, while Kolar Gold Field area remained free from the disease. Comparative figures for the corresponding weeks in 1938 and 1937 were 51 attacks with 24 deaths and 6 attacks with 3 deaths, respectively.

A total of 5 attacks with nil death from small-pox was reported from one village in Channarayapatna Taluk and from Kolar Gold Field.

The State remained free from Cholera, Influenza and Relapsing fever.

The total mortality for Bangalore City amounted to 101 (24 in hospitals) representing a calculated death-rate of 24·1 (18·4 excluding hospital deaths) per mille of population as against 20·8 for the corresponding week of last year. Classified according to causes, the deaths numbered 1 under Plague, 1 under Malaria, 1 under Typhoid, 2 under other fevers, 5 under Phthisis, 11 under Dysentery and Diarrhoea and 80 under all other causes. The reported mortality was low.

During the week, the Civil and Military Station, Bangalore, returned 86 deaths (22 in hospitals) representing a calculated death-rate of 30·5 (22·7 excluding hospital deaths) per mille of population as against 30·0 for the corresponding week of last year. Classified according to causes, the deaths were Broncho-Pneumonia 2, Pneumonia 16, Other Fevers 2, Phthisis 3, Dysentery and Diarrhoea 10, and all other causes 53. The reported mortality was normal.

The total mortality for Mysore City was 76 (24 in hospitals) representing a calculated death-rate of 31·2 (21·4 excluding hospital deaths) per mille of population as against 30·1 for the corresponding week of last year. Classified according to causes, the deaths were Plague 1, Malaria 4, Typhoid 2, Phthisis 5, Dysentery and Diarrhoea 4, and all other causes 60. The reported mortality was normal.

There were 38 deaths (7 in hospitals) from all causes in Kolar Gold Field Area equivalent to a calculated death-rate of 23·8 (17·3 excluding hospital deaths) per mille of population as against 38·6 for the corresponding week of last year. Classified according to causes, the deaths numbered 2 under Dysentery and Diarrhoea and 36 under all other causes. The reported mortality was very low.

P. PARTHASARATHY,
Director.